§52.1886

with the attainment and maintenance of the ozone NAAQS and the fine particulate NAAQS and with the attainment and maintenance of other air quality standards and requirements of the CAA. We are further approving Ohio's request to modify the SIP such that I/M is no longer an active program in these areas and is instead a contingency measure in these areas' maintenance plans.

(hh) 8-hour Emissions Inventories. (1) Approval—Ohio's 2002 inventory satisfies the base year emissions inventory requirements of section 172(c)(3) of the Clean Air Act for the Columbus area under the 1997 8-hour ozone standard.

- (2) Approval—Ohio's 2002 inventory satisfies the base year emissions inventory requirements of section 182(a)(1) of the Clean Air Act for the Cleveland-Akron-Lorain area under the 1997 8-hour ozone standard.
- (ii) Approval—The 15 percent Volatile Organic Compound reasonable further progress plan for the Cleveland-Akron-Lorain 1-hour ozone area, submitted by Ohio on June 15, 2007, and February 22, 2008, satisfies the requirements of section 182(b)(1) of the Clean Air Act.
- (3) Approval—Ohio's 2005 inventory satisfies the base year emissions inventory requirements of section 172(c)(3) of the Clean Air Act for the Ohio portion of the Cincinnati-Hamilton, OH-KY-IN area under the 1997 8-hour ozone standard.
- (jj) Approval—EPA is approving exemptions under section 182(f) from requirements for reasonably available control technology for oxides of nitrogen for the Cleveland-Akron-Lorain 8-hour ozone nonattainment area with respect to the 1997 ozone standards. This waiver was requested by Ohio on March 17, 2009.

(kk) *Disapproval*. EPA is disapproving the coating VOC content limit for high performance architectural aluminum coatings contained in paragraph (U)(1)(h) of chapter 3745–21–09 of the Ohio Administrative Code.

[45 FR 72142, Oct. 31, 1980]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §52.1885, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§52.1886 Visibility protection.

- (a) Regional Haze. The requirements of section 169A of the Clean Air Act are not met because the regional haze plan submitted by Ohio on March 11, 2011, does not include fully approvable measures for meeting the requirements of 40 CFR 51.308(d)(3) and 51.308(e) with respect to emissions of NO_X and SO_2 from electric generating units. EPA has given limited approval and limited disapproval to the plan provisions addressing these requirements.
- (b) Measures Addressing Limited Disapproval Associated With NO_X. The deficiencies associated with NO_X identified in EPA's limited disapproval of the regional haze plan submitted by Ohio on March 11, 2011, are satisfied §52,1882.
- (c) Measures Addressing Limited Disapproval Associated With SO₂. The deficiencies associated with SO₂ identified in EPA's limited disapproval of the regional haze plan submitted by Ohio on March 11, 2011, are satisfied by §52.1883.

[77 FR 33658, June 7, 2012]

EFFECTIVE DATE NOTE: At 77 FR 33658, June 7, 2012, §52.1886 was added, effective August 6, 2012.

§ 52.1887 Control strategy: Carbon monoxide.

- (a) Part D—Approval—The following portions of the Ohio plan are approved:
- (1) The carbon monoxide portions of rules 01, 02, 03, 04 (except the portion disapproved in §52.1877(c)), 05, 06, 07, 08, 09 (except the portions conditionally approved in §52.1877(b)) and 10 of Chapter 3745–21 of the Ohio Administrative Code.
- (2) The transportation control plans for the following urban areas: Akron (ozone component only), Canton, Cincinnati, Columbus, Dayton, Steubenville, Toledo (ozone component only), Cleveland.
- (3) The carbon monoxide attainment and reasonable further progress demonstrations for the following urban areas: Cincinnati, Cleveland, Columbus and Youngstown.
 - (b) [Reserved]
- (c) Part D—No Action—USEPA at this time takes no action on the carbon monoxide portions of the plan submitted for the urban areas of Akron